

ENVIRONMENT AUDIT REPORT



K. R. Mangalam University
Sohna Road, Gurugram, Haryana 122103.

Audit Date – 3rd January 2022

Audit Conducted by:

M/S SAMARTH MANAGEMENT PRIVATE LIMITED
212, BHERA ENCLAVE, PASCHIM VIHAR, DELHI – 110087

Jmp
Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report – K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED
[Signature]
Authorized Signatory



CERTIFICATE OF EXCELLENCE

THIS IS CERTIFY THAT **K. R. MANGALAM UNIVERSITY**
HAS SUCCESSFULLY
COMPLETED THE **ENVIRONMENT**
AUDIT PROGRAM
CONDUCTED ON **03 JANUARY 2022**

CERTIFICATE NO. **SMPL/2022/C-0010** DATE OF ISSUE **10-01-2022**

For SAMARTH MANAGEMENT
PRIVATE LIMITED
Samarth Suri
Authorized Signatory
AUTHORISED SIGNATORY

CONDUCTED BY



www.samarthconsultants.com
212, Bhera Enclave, Paschim Vihar,
New Delhi - 110087

Jm
Registrar
K.R. Mangalam University
Sonna Road, Gurugram, (Haryana)

Table of Contents

LIST OF ABBREVIATIONS..... 3

CHAPTER 1: INTRODUCTION 4

1.1 BACKGROUND 4

1.2 OVERVIEW OF UNIVERSITY 4

1.3 CHRONOLOGY OF ENVIRONMENTAL PERMISSION 5

1.4 AUDIT OBJECTIVES 6

1.5 ABOUT THE AUDITORS 6

1.6 REPORT STRUCTURE 7

1.7 DISCLAIMER..... 7

CHAPTER 2: APPROACH AND METHODOLOGY 8

2.1 APPROACH & METHODOLOGY..... 8

CHAPTER 3: DATA COLLECTION AND ANALYSIS10

3.1 DATA COLLECTION 12

3.2 DATA ANALYSIS 12

3.2.1 DOCUMENT ANALYSIS 12

3.2.2 MONITORING REPORT 12

3.2.3 MANAGEMENT MEASURE 13

3.3 WATER MANAGEMENT 15

3.3.1 SEWAGE TREATMENT PLANT 16

3.3.2 RAINWATER HARVESTING..... 16

3.3.3 WATER CONSUMPTION 17

3.4 DETAILS OF TREES AND PLANTS IN CAMPUS 17

3.5 PAPER CONSUMPTION 17

3.6 WASTE MANAGEMENT 17

3.7 FACILITIES IN KRMU..... 19

CHAPTER 4: CONCLUSION 21

4.1 AREA OF IMPROVEMENTS 21

PHOTOGRAPHS 22

ANNEXURES 24



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report – K.R. Mangalam University

For SAMARTH MANAGEMENT PRIVATE LIMITED

Authorized Signatory

LIST OF ANNEXURES

Annexure 1: Environment clearance.....24
Annexure 2: Forest department NOC.....32
Annexure 3: Air/Water Consent to Establish34
Annexure 4: Fire NOC38
Annexure 5: Agreement of Solid Waste39

LIST OF TABLES

Table 1: Chronology Events in aspect of environment..... 6
Table 2: Applicable Rules and Notifications to University 8
Table 3: Environment Impact/Aspects10
Table 4: Management Measures.....13
Table 5: Average yearly rainfall data of Gurugram16



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED
Authorized Signatory



LIST OF ABBREVIATIONS

1.	NAAC	National Assessment and Accreditation Council
2.	SMPL	Samarth Management Private Limited
3.	BMW	Biomedical Waste
4.	CTE	Consent to Establish
5.	CTO	Consent to Operate
6.	KRMU	K. R. Mangalam University.
7.	LOR	List of Requirements
8.	NABET	National Accreditation Board for Education and Training
9.	RWH	Rain water Harvesting
10.	STP	Sewage Treatment Plant
11.	L	Liters
12.	KLD	Kiloliter per Day
13.	Kg	Kilogram
14.	LED	Light-emitting diode
15.	PVC	Photovoltaic cell



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

CHAPTER 1: INTRODUCTION

1.1 BACKGROUND

Environmental audit is systematic and objective assessments of the environmental status and performance of facilities, processes, and/or operations. It is a valuable management tool which can be used to identify and assess environmental problems, and initiate corrective actions which ensure legal compliance and internal management policies and practices. Environmental audits can also be used to assess the quality of the existing environmental management systems, and to foster additional initiatives to improve the environmental performance. International Chambers of Commerce (ICC) has defined Environmental Auditing as

“A management tool comprising a systematic, documented, periodic and objective evaluation of how well environmental organization, management and equipment are performing with the aim of safeguarding the environment and natural resources in its operations/projects.”

This Environment Audit aims to assess all the attributes of the environmental paradigm & natural resources which are likely to be impacted from different activities of the University. Samarth Management Private Limited (*hereafter termed as SMPL*) have been appointed by the K. R. Mangalam University to ensure the University's environmental performances are in-alliance with enviro-legal compliance set up by the Government.

This audit is prepared based on the legal compliances applicable to the University and environment mitigation measure that has been undertaken by the University to reduce the environmental impacts. The detail approach and methodology of this report is explained in Chapter (2) while this Chapter (1), provides the overview of the University along with the Audit objectives and scope.

1.2 OVERVIEW OF UNIVERSITY

K.R. Mangalam University is the fastest-growing higher education institute in Gurugram, India. Since its inception in 2013, the University has been striving to fulfil its prime objective of transforming young lives through ground-breaking pedagogy, global collaborations, and world-class infrastructure.

As we have stepped into the innovative world, we have gained exposure to unlimited learning and employment opportunities beyond the social and geographical boundaries. K.R. Mangalam University being a progressive learning platform is a host to knowledge-seekers from across the globe. KRMU has signed MOU with University of Portsmouth (London), University of Bialystok (Poland), Namangan Engineering Construction Institute (Uzbekistan), Houston University (Texas), Roehampton University (London), Delhi University (New Delhi), IIIT Manipur (Manipur) and many more under which many articulations are being designed for advanced learning programmers.

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT PRIVATE LIMITED
Authorized Signatory

KR Mangalam University aspires to become an internationally recognized institution of higher learning through excellence in interdisciplinary education, research and innovation, preparing socially responsible life-long learners contributing to nation building.

- Foster employability and entrepreneurship through futuristic curriculum and progressive pedagogy with cutting-edge technology
- Instill notion of lifelong learning through stimulating research, Outcomes-based education and innovative thinking
- Integrate global needs and expectations through collaborative programs with premier universities, research centers, industries and professional bodies
- Enhance leadership qualities among the youth having understanding of ethical values and environmental realities

K. R. Mangalam University education carries a strong emphasis on foundational knowledge, thorough academic research based on rigorous pedagogy and hands-on experience with real-world challenges. The synthesizing nature of the curriculum allows the student to learn by making connections between ideas and concepts across different disciplinary boundaries. The interdisciplinary structure at K. R. Mangalam University is designed to enable the integration of ideas & the characteristics from across disciplines. At the same time, it addresses students' individual differences and helps to develop important, transferable skills. K. R. Mangalam University, owned by K. R. Mangalam Group is developing 'K. R. Mangalam University ' with a motive of providing world class education in Indian Scenario and K. R. Mangalam University is started to fulfill the same purpose. The University is having Undergraduates and Post Graduates programmers for

- BASIC AND APPLIED SCIENCES
- ENGINEERING AND TECHNOLOGY
- MEDICAL AND ALLIED SCIENCES
- MANAGEMENT AND COMMERCE
- LEGAL STUDIES
- HUMANITIES
- EDUCATION
- HOTEL MANAGEMENT & CATERING TECHNOLOGY
- AGRICULTURE SCIENCES
- ARCHITECTURE & DESIGN
- JOURNALISM & MASS COMMUNICATION

1.3 CHRONOLOGY OF ENVIRONMENTAL PERMISSION

This section explains the historical background of the university in terms of the clearances that it has obtained from different authorities as per the national norms, related with environment clearance, consent to establish (CTE), and consent to operate (CTO). The series of the clearances obtained by the University at different times as presented below in **Table 1.1:**

Table 1: Chronology Events in aspect of environment

S. No.	Date	Description
1	2011	KR Mangalam has taken Environment clearance for Institutional College in Revenue Estate of Village Sohna, Gurgaon. Built up area is 521435.682 Sq. ft.
2	2013	KR Mangalam has taken NOC from the Forest Department that University Land is non-forest land and not covered/fall under Aravalli notification.
3	2020	KR Mangalam has taken Agreement for the Solid Waste
4	2021	KR Mangalam has taken NOC from the Fire Department
5	2021	KR Mangalam has taken Consent to Establish from Haryana State Pollution Control Board.

At present, the University is under operation on a Built-up area of 5, 21,435.682 In Sq Mt.

1.4 AUDIT OBJECTIVES

This audit focuses on the effective management of environment, health and safety within the University premises both during construction and operation phases along with legal compliances associated with the university. The objectives of this auditing are as follows:

- To assess the performance of implementation of environmental safeguards,
- To identify shortfalls and intimate the proponent regarding action required for improved & effective obedience of environmental conditions as stipulated in Environmental Clearance, Consent to Establish Certificate and statutory approvals / permissions.

1.5 ABOUT THE AUDITORS

M/s SAMARTH MANAGEMENT PRIVATE LIMITED (SMPL) is an Environmental Consulting Organization working in the Environmental field since 2004. The organization has a team of Environment Experts with wide knowledge in the subject. SMPL is providing services for various sectors such as, Preparing Environment Impact Assessment (for Building & Construction Projects, Small and big manufacturing units, Hospitals, Educational Institutions, Hotels etc.)

Samarth Management Private Limited has prepared Environmental Audit reports for various institutes and organizations.

Team involved in this auditing and report preparation is given below

Name

Mr. Samarth Suri

Registrar

Designation

Auditor

K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED

Authorized Signatory

1.6 REPORT STRUCTURE

This audit report has been divided in to the following chapters:

Chapter 1: Introduction briefs on project background, project status, audit objectives.

Chapter 2: Approach & Methodology briefs the methodology and approach followed to conduct Environment Audit

Chapter 3: Data Collection and Analysis explains the norms applicable to the University and management measures undertaken by it.

Chapter 4: Conclusion elucidates the findings of the audit report and area for improvements

1.7 DISCLAIMER


SMPL Environment Audit Team has prepared this report based on input data submitted by the representatives of the University and the best judgment capacity of the expert team. It is further informed that the conclusions are arrived at following best estimates based on the provided information, and onsite observations to the extent possible.



Registrar

K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED
Authorized Signatory



CHAPTER 2: APPROACH AND METHODOLOGY


2.1. APPROACH & METHODOLOGY

The audit has been carried out in two stages. In the first stage, it includes the review of documents while involving the site inspection and report preparation. The general approach followed to prepare the audit report.

This report has been prepared based on the documents provided by the K. R. Mangalam University, and site inspection carried out by the SMPL team. Based on detailed scrutiny of documents and field observations on complied/partially complied /not complied/not assessed particulars, this report has been prepared.

The SMPL team reviewed the previous reports, documents, and listed out the required information/documents to prepare this audit report. The checklist was prepared and was shared With the client to collect them during the site inspections. The audit was carried out as per compliance obligation applicable to the University. There are certain rules and notification that the university shall comply with either in the construction or in operation phases as explained below in **Table 2.1.**

Table 2: Applicable Rules and Notifications to University

S. No.	Act/Rule Notification	Related NOC/Clearance/Annual Returns	Concerned Department
1.	Environment Protection Rule 1986,	Submission of Environmental Statement (Form-5).	State Pollution Control Board
2.	Water prevention and Control of pollution act 1974.	1. Consent to Establish	State Pollution Control Board
3.	Air prevention and control of pollution act 1981	2. Consent to Operate	
4.	Hazardous & Other Wastes (Management and Tran-boundary Movement) Rules, 2016.  Registrar K.R. Mangalam University Sohna Road, Gurugram, (Haryana)	1. Hazardous Waste Authorization 2. Hazardous Waste Return (Form 4) 3. Manifest- Form 10. 4. Maintain a record of hazardous and other wastes in Form 3.	State Pollution Control Board


For SAMARTH MANAGEMENT PRIVATE LIMITED
 Authorized Signatory

5.	E-Waste (Management) Rules, 2016.	1. Form 3 (Annual returns) and 2. Form 6 (Manifest) 3. Form-2: Maintain records of E- waste generated	State Pollution Control Board
6.	Biomedical Waste Management Rules 2016.	1. BMW Authorization 2. Annual Return (Form 4)	State Pollution Control Board
7.	Municipal Solid Waste Management Rules 2020		Municipal Corporation



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED



Authorized Signatory

CHAPTER 3: DATA COLLECTION AND ANALYSIS

This audit has been carried out based norms/rule/ laws applicable to the University and the actions undertaken by the University to combat the impacts on environmental components. The activities undertaken by the University along with the aspects and impacts are given below:


Table 3: Environment Impact/Aspects

S. No	Activities	Aspects	Impacts
1.	Water usage-domestic use, drinking purposes, etc.	Water consumption: almost 95 KLD which is fulfilled by the Municipal.	Depletion of water sources.
2.	Use of diesel generator (DG) sets.	<ul style="list-style-type: none"> • Air Emission • Waste generation: spent oil • Noise nuisances • Leakages 	<ul style="list-style-type: none"> • Increase the pollutant into the air. • Spent oil is a hazardous waste. • Increase in noise level. • Adverse impacts on the soil.
3.	Canteen Operation- produces the solid wastes.	Production of solid wastes;	<ul style="list-style-type: none"> • Soil contamination • Groundwater contamination • Health issues
4.	Use of medicine and first aid services-Medical waste	Biomedical waste generation	Health issues from the waste if not disposed of properly.
5.	Use of electronic equipment and E waste (TVs, computer monitors, printers, scanners, keyboards, mouse, cables, circuit boards, lamps, clocks, flashlight,	E-waste generation	Depletion of the resources

Registrar
K.R. Mangalam University
B-10, Sector 10, Gurugram, (Haryana)
Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT PRIVATE LIMITED
Authorized Signatory

	<i>calculators, phones, answering machines)-</i>		
6.	Planting around the premises of University.	Generation of green waste.	<ul style="list-style-type: none"> • Safety issues • Increase in greenery
7.	Electricity Usage: Lightening/appliances/off ice electrical equipment.	Energy consumption in the University:	<ul style="list-style-type: none"> • Depletion of resources. • Increase the pollution level.
8.	Vehicular Movement & Access	Traffic and transportation in the University	<ul style="list-style-type: none"> • Release of dust from un-surfaced roads. • Increase in noise level. • Increased localized traffic movements and congestion in the parking area.
9.	Printed material: flyers, newspapers, posters, others	<ul style="list-style-type: none"> • Paper use • Printing <ul style="list-style-type: none"> ○ Internally – electricity use ○ Externally: transportation <p>Energy usage</p>	<ul style="list-style-type: none"> • Raw materials (paper) <ul style="list-style-type: none"> – Unsustainable forestry, habitat loss, biodiversity, air pollution. • Contribution to climate change: air pollution. • Contribution to climate change: land degradation.



Registrar

K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

3.1. DATA COLLECTION

In order to audit the legal compliances, all the required documents as per the norms and standards applicable for construction/expansion of the University are listed and collected. Similarly, the existing environmental conditions were examined through the site observations.

3.2. DATA ANALYSIS

3.2.1 DOCUMENT ANALYSIS

- As per the Environment Protection Rule 1986, the University is supposed to submit the Environmental Statement in the prescribed Form V. The University is regularly submitting the Statement to the State Pollution Control Board.
- The University has the CTE for built up area 26,486 acres and its validity is till 31.12.2026.
- The University is having Hazardous Waste Authorization and maintaining the records of Manifest (Form 10). Also, the University is filing annual returns of hazardous waste. The records show that the University provides its hazardous waste to the vendor within 90 days of the generation of waste. Sub Rule (5) under Rule 6 of **Hazardous Waste (Management, Handling & Trans boundary Movement) Rules, 2016** mentions that every occupier authorized under these rules, shall maintain a record of hazardous and other wastes managed by him. The University is maintaining the records of the same.
- As per **Bio-Medical Waste (Management and Handling) Rules, 2016**, The University shall maintain and update on day to day basis the bio-medical waste management register in terms of category and color coding as specified in Schedule I. It is observed that the University is maintaining the record of day to day basis the bio-medical waste management registers.
- The University is submitting a compliance report to NAAC as mentioned in the EIA notification 2006.
- KR Mangalam has taken Consent to Establish from Haryana State Pollution Control Board in the year 2021.
- In terms of Fire NOC, the University is having fire NOC for all the blocks and Hostel Also, a fire frightening plan has been prepared by the University.

3.2.2 MONITORING REPORT

The University is conducting quarterly monitoring of STP outlets, stack emission, and DG noise from ISO certified laboratories.

- For STP outlets, the parameters such as pH, total suspended solid, chemical oxygen demand (COD), biological oxygen demand (BOD), oil and grease are tested. The recent monitoring carried out in February 2022, shows that the parameters are within the limit as per CPCB norms.

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)
Environment Audit Report – K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED
Authorized Signatory

- The University is regularly monitoring the DG stack emission and noise. The monitoring results show that the emissions from the DG sets are within the limit and so the noise.

3.2.3 MANAGEMENT MEASURE

In the above Table 3.1, the aspect and impact matrix of the University is given. The University is following different management measures to reduce the possible impacts. The overview of the same is given in Figure 3.1 while the detailed measures taken for each component are explained in Table 3.2.


Table 4: Management Measures

S. No	Aspects	Impacts	Management Measures
1.	Water consumption	Depletion of water sources.	<ul style="list-style-type: none"> • Water Recycling: The University is having the STP of capacity 1 X 100 KLD. The treated water is used for flushing, landscape irrigation, and dust suppression. The treated water is tested each time before its use internally while quarterly monitoring is carried out from accredited laboratories. • Use of a low flow tap. • Rain water Harvesting Pits: 17 rainwater harvesting pits are present in the University.



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)


For SAMARTH MANAGEMENT
PRIVATE LIMITED



Authorized Signatory

2.	<p>DG sets Operations</p> <ul style="list-style-type: none"> • Air Emission • Waste generation: spent oil • Noise nuisances • Leakages 	<ul style="list-style-type: none"> • Increase the pollutant into the air. • Spent oil is a hazardous waste. • Increase in noise level. • Adverse impacts on the soil. 	<ul style="list-style-type: none"> • Almost 72,000 sqm is under the landscaping and the University is planning to plant almost 4000 trees (as of today). This landscaping acts as a carbon sink. • The DG sets are provided with stack height as per the government notification for the DG sets i.e. 35 meters. Also, DG set is within the enclosure to reduce the noise nuisances. • The DG set is used only during emergencies. • The spent oil generated from the DG sets is given to the Bharat Oil and waste management Ltd. • Regular monitoring of DG sets. • Use of low Sulphur content diesel
3.	<p>Production of biodegradable solid wastes</p>	<ul style="list-style-type: none"> • Soil contamination • Groundwater contamination • Health issues 	<p>The University is having the Organic Waste Converter and biodegradable wastes are converted into the compost which is further used as manure in the landscape area.</p>
4.	<p>Biomedical waste generation</p>	<p>Health issues from the waste if not disposed of properly.</p>	<p>Management as per Bio-medical Waste Management Rule 2016.</p>
5.	<p>E-waste generation</p>	<p>Depletion of the resources</p>	<p>The University has an agreement with Bharat Oil and waste management Ltd. for E-waste Management.</p>
6.	<p>Generation of green waste.</p>	<ul style="list-style-type: none"> • Safety issues • Impact on visual 	<p>All the waste is stored in the waste storage area and is sent for composting.</p>

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)
Environment Audit Report – K.R. Mangalam University

For SAMARTH MANAGEMENT PRIVATE LIMITED

Authorized Signatory

7.	Energy consumption in the University:	<ul style="list-style-type: none"> • Depletion of resources. • Increase the pollution level. 	Adoption of Energy efficient measures. Such as LED light, light sensor lights.
8.	Traffic and transportation in the University	<ul style="list-style-type: none"> • Release of dust from un-surfaced roads. • Increase in noise level. • Increased localized traffic movements and congestion in the • Parking area. 	<ul style="list-style-type: none"> • Traffic Management Plan in the University. • Use of E-Vehicle in the premises
9.	<ul style="list-style-type: none"> • Paper use • Printing <ul style="list-style-type: none"> ○ Internally – electricity use ○ Externally: transportation Energy usage	<ul style="list-style-type: none"> • Raw materials (paper) – unsustainable forestry, habitat loss, Biodiversity, and air pollution. • Contribution to climate change: air pollution. • Contribution to climate change: land Degradation. 	<ul style="list-style-type: none"> • The University is having a paperless office policy and has discarded the use of paper cups.


3.3. WATER MANAGEMENT

Water conservation is a key activity as water availability effects on the development of the campus as well as on all areas of development such as farming, industries, etc. Keeping this view water conservation activity is carried out.

SOURCES OF WATER

- Water from Municipal
- Water Bottles from Vendor

The source of wastewater is Domestic Waste Water i.e., Sewage water. The Sewage water mainly comes from Toilets of college, hostel, kitchen and canteen. One Sewage Treatment Plant was installed in the campus of 100 KLD. Total sewage treatment plant capacity is 100 KLD. The treated water is stored in tanks and further utilized for gardens. Low flush cistern and sensor-based water tapes have been installed in washrooms to minimize wastage of water.



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

3.3.1 SEWAGE TREATMENT PLANT

The University has a Sewage Treatment Plant of 100 KLD capacity, which is utilized for treating waste water of the hostel and all other blocks. There is 100% utilization of liquid waste within the campus. The treated water is stored in tanks and further utilized for gardens. Low flush cistern and sensor-based water tapes have been installed in washrooms to minimize wastage of water.

3.3.2 RAINWATER HARVESTING

Conserving and preserving of water is a key issue that has been addressed by the University in the form of Rain water harvesting. The campus has been practicing rainwater mechanism in site area of 26 acres approx. where there are 17 rain water harvesting pits (Not all pits are functional as not required in current system) all over campus. This mechanism ensures increase in water table index. The detail of rain water harvesting system has been designed by a certified architect and has been implemented throughout the campus. Average yearly rainfall data of Gurugram tabulated below: -

Table 5: Average yearly rainfall data of Gurugram


	Avg. Temperature °C (°F)		Min. Temperature °C (°F)		Max. Temperature °C (°F)		Precipitation / Rainfall mm (in)		Humidity (%)	Rainy days (d)
January	13.5 °C	(56.4) °F	7.6 °C	(45.6) °F	20.1 °C	(68.2) °F	23	0	66%	4
February	17 °C	(62.6) °F	10.5 °C	(50.9) °F	23.8 °C	(74.8) °F	31	-1	59%	3
March	22.8 °C	(73) °F	15.3 °C	(59.6) °F	30.2 °C	(86.3) °F	20	0	45%	1
April	29.4 °C	(85) °F	21.2 °C	(70.1) °F	37 °C	(98.6) °F	13	0	27%	0
May	33.1 °C	(91.6) °F	25.6 °C	(78.1) °F	40 °C	(104) °F	19	0	30%	4
June	33.4 °C	(92.1) °F	28 °C	(82.4) °F	38.7 °C	(101.6) °F	71	-2	45%	6
July	30.2 °C	(86.4) °F	26.9 °C	(80.4) °F	34.1 °C	(93.4) °F	197	-7	69%	11
August	29 °C	(84.2) °F	26 °C	(78.8) °F	32.6 °C	(90.7) °F	180	-7	75%	13
September	28.2 °C	(82.7) °F	24.1 °C	(75.4) °F	32.7 °C	(90.9) °F	90	-3	69%	7
October	25.8 °C	(78.4) °F	19.3 °C	(66.8) °F	32.4 °C	(90.4) °F	14	0	52%	4
November	20.8 °C	(69.4) °F	14.3 °C	(57.7) °F	27.8 °C	(82) °F	5	0	52%	0
December	15.5 °C	(59.9) °F	9.2 °C	(48.6) °F	22.4 °C	(72.3) °F	7	0	60%	1

Dimension of Rain Water Harvesting Pits and Desilting Pits as appended below: -

Water Harvesting Pits

- Depth - 3 Mtr
- Diameter – 3 Mtr
- Volume - 3X3X670 (average rainfall in mm) X.8 =3216 Liters/pit X17 Nos pits
Total=54672 Liters

Desilting Pits

- Depth - 03 Mtr.
 - Area - 3x3Mtr
- 
Registrar
 K.R. Mangalam University
 Sohna Road, Gurugram, (Haryana)

3.3.3 WATER CONSUMPTION

In the past year, KRMU has been consistently utilizing an average of approximately 1600 kilolitres (KL) of water per month. This substantial water consumption reflects the university's operational needs and underscores the significance of effective water resource management. The data signals the importance of implementing sustainable practices and water conservation initiatives within the institution. As water scarcity becomes an increasingly pressing global concern, KRMU's commitment to monitoring and potentially reducing its water consumption could contribute not only to the university's environmental responsibility but also set an example for sustainable practices within the broader community. Addressing water usage in a proactive manner aligns with the university's commitment to environmental stewardship and aligns with broader global efforts to promote responsible resource consumption.

3.4. DETAILS OF TREES AND PLANTS IN CAMPUS

Two-tier plantations have been done along the campus boundary. Fruit bearing and shady plants like Sondana, Kusum, Kachnar, Sashut, Champa etc are planted. A nursery, and a well functional green house, composting unit to provide organic manure and trained manpower to carry out horticulture work is maintained. An organic orchard is created which harbors a large number of horticulture plant varieties. Due to natural vegetation patches, the university is ecologically sound and is home for a large number of birds and butterflies.

3.5. PAPER CONSUMPTION

Paper Consume at the high level in the university but at KRMU adopt the techniques of using less paper at the university, by using both side of paper, communicate through mail, data collection on computers.

Paperless office: All official communication to staffs and students is done through email, data sharing and collection is done in cloud system.

3.6. WASTE MANAGEMENT

- **solid waste management**

The University has tie ups with authorized vendors for the collection of garbage and paper waste from designated places. 100% usage of disposable products like paper glass helps to reduce solid waste in the campus. Students and staff members are encouraged to make the campus plastic free. The University has placed waste bins in every area as per requirement with color coding for e.g. green, blue and yellow. We have compost pits to dump green waste, which is utilized for manure preparation and for maintaining a green campus. The wet waste is recycled along with cafeteria waste for soil manure/fertilizers after processing the same in a pit. Standard operating procedure for disposal of chemical as well as microbial waste is in practice. The University has banned the usage of plastic within campus.


Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

- **Liquid waste management**

The University has Sewage Treatment Plant of one lakh liter capacity, which is utilized for gardening. There is 100% utilization of liquid waste within the campus. Water from wash basins and hostel rooms are stored in tanks and further utilized for gardens. Low flush cistern has been installed in washrooms. Water squirting has been enabled in all taps. In view of the National Mission on Clean and Green Environment, we have taken steps for plantation inside as well as outside the campus. This activity is monitored by NSS every year. Tanks with the required storage capacity are available for rainwater harvesting.

- **Biomedical waste management**

Biomedical waste from university's animal house is collected in separate bins. The University has signed a contract with authorized bio-medical waste management contractor who collects the waste from the designated place and disposes it according to bio-medical waste management rules.

- **E-waste management**

A Standard Operating Procedure is being followed for the management of "**The Hazardous Lab & other Waste Disposal**". The e-waste generated from hardware which cannot be reused or recycled is disposed of centrally through the authorized vendors. Disposing of old, out dated and non-functioning electronic items such as monitors, computers, keyboards, mouse, power supplies, printers, batteries etc. is a major problem because such materials contain toxic chemicals and improper disposal of these items is injurious for living beings. The institute has identified certified vendors for E-waste disposal. The electronic equipment to be disposed is collected at a central store and then handed over to the concerned vendors.

- **Waste recycling system**

Faculty and staff members participate in the recycling effort by following the principle of separation of recyclable and non-recyclable materials and placing them in appropriately marked recycling bins. Students are motivated to participate in campus recycling efforts.

- **Hazardous chemicals waste management**

All kinds of hazardous chemicals like lead batteries, waste diesel from DG set and other chemical storage glass bottles are disposed-off according to the standard disposal norm, taking special care that no harm is caused to any living beings. The University has signed a contract with authorized waste management contractor who collects the waste from the designated place and disposes it according to waste management rules.

Liquid

(a) Water:

The potable water (averagely 74 Bottles per day) is being procured for the university. On an average 65,000 Litres of water per day is used in hostels. Water meter is not installed in all blocks, therefore actual consumption of water cannot be ascertained.

(b) STP:

A STP has been installed in campus which is capable of treating 100000 Litres of water per 24 hrs. The STP is being run 12 hours per day as per contract. The treated water is used of irrigation of plants.

Registrar

K.R. Mangalam University

Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT PRIVATE LIMITED

Authorized Signatory

(c) **Oil:**

There are 3 DG sets in university as power back up during failure of the main electrical supply. On an average approx. 186 Liters of waste oil is generated this year. The waste oil is contained in a leak proof container and sent to the Head Office for further disposed-off.

3.7. FACILITIES IN KRMU

GREEN CAMPUS INITIATIVES BY KRMU

A Green Campus is a place where environmentally friendly practices and education combine to promote sustainable and eco-friendly practices in the campus. This metric focuses on reducing wasteful energy inefficiencies and using non- conventional sources of energy for daily power need along with effective waste disposal, handling and recycling system. The university should promote the use of digital technology and management to reduce consumption of natural resources - paper, gas, water, energy etc. The university should encourage the staff and students to use the university transport instead of their own vehicles for safety, security, fuel conservation and to reduce environmental pollution. The University is aware of its environment conservation responsibilities and embraces principle of sustainable development to ensure any adverse environmental impact. Infrastructural development is done to maximize usage of natural resources like native vegetation, water reserves, and sun and wind resources. Passive green features i.e. sunken areas are developed to reduce temperature regime during summer.

Restricted Entry of Automobiles:

The University implements no automobile policy in the campus. All the vehicles of employees and students are parked in the designated parking area. There are separate gates for entry and exit of vehicles. Inside the campus there is no entry of vehicles of any kind.

Use of Bicycles/battery powered vehicles:

All the staff and students will use bicycles/battery powered vehicles as a part of Green Campus & Environmental Sustainability, the entry of automobiles inside the campus is strictly prohibited. Only eco- friendly vehicles (bicycle and battery-operated vehicles) are permitted inside the campus. Any student, staff or outsiders parking their vehicle inside the premises will face disciplinary action. Students & Staff are encouraged to use cycles on campus.

Pedestrian Friendly Pathways:

The university has pedestrian friendly pathways as a part of Green Campus & Environmental Sustainability where pedestrians can walk safely through the designated pathways. The building plan and architecture are planned in user friendly that promotes walkability. Proper footpaths are made along the roads within the campus and are well maintained in terms of quality with lush green belts accompanying the roadsides. Campus is developed in walk friendly manner with network of pedestrian walkway across the campus and to discourage use of vehicles inside the

Registrar

K.R. Mangalam University
Environment Audit Report - K.R. Mangalam University
Sonna Road, Gurugram (Haryana)

For SAMARTH MANAGEMENT PRIVATE LIMITED

Authorized Sign

campus.

Landscaping with Trees and Plants:

Green landscaping: Two-tier plantations have been done along the campus boundary. Total of 1033 fruit bearing and shady plants like Ashok, Sondana, Kusum, Vismarkya, Kachnar, Pilkan, Sashut, Champa etc are planted. A nursery, and a well functional green house, composting unit to provide organic manure and trained manpower to carry out horticulture work is maintained. An organic orchard is created which harbors a large number of horticulture plant varieties. Due to natural vegetation patches, the university is ecologically sound and is home for a large number of birds and butterflies. 120 birds and 40 butterflies are documented inside campus during biodiversity survey.

Plastic free campus:

Paperless office: All official communication to staffs and students is done through email, data collection is carried out through serosoft portal. The university is trying its best to minimize plastic usage. The stores and food stalls are motivated to use paper and jute bags for packing. Awareness program is also conducted like Swachh Bharat Abhiyan.

Public transport:

Carbon accounting: All vehicles entering University have "Pollution under Control" certificate University provides CNG buses and CNG cars for students, faculty and staff for daily commuting and also encourages carpooling to reduce carbon footprint.

KRMU under its Green Campus Initiatives adopts an eco-friendly activity each year in order to keep up its commitment as per the Green Policy. Over years, the School of Agricultural Sciences aims at building foundational knowledge on smart agricultural practices and methodologies on production farming. The school strives on preparing students who can take up major roles at corporations engaged in defining the agricultural landscape. With advanced training on Agri-entrepreneurship, the students are prepared to bring new-age solutions for different sectors such as capital funding, floriculture, farm management, and agriculture equipment.

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED
Authorized Signatory

CHAPTER 4: CONCLUSION

It has been observed that the University is following the applicable norms/laws and undertaking the management measures to reduce emission to the air, waste generation, water consumptions, and measures to conserve energy, and water. Following conclusions are made based on the documents received from the University and site observations.

- The University has installed various measures for the environmental conservation such as STP, RWH pits, low flow taps, organic waste converter etc. Almost 52, 000 sq. m of the area is under the green coverage in the University. The green coverage is well maintained and the compost from the OWC is used in it.
- The regular monitoring of STP water, DG stack and DG noise is carried out by the University.
- The safety, precautionary sign boards are placed at the different locations to alert the students and staff.
- The University is having an agreement with authorized vendors for the waste management.

4.1. AREA OF IMPROVEMENTS

- Specific Environment Management Plan to be prepared by the University and shall establish the environment Management Cell with the proper responsibilities.
- It is suggested to the University to maintain the records of waste generated by them in the Forms as prescribed in the waste management rule.
- The University is having a provision for the solar PVC, however, it is recommended to increase the solar power plan. Also, installation and maintenance of water meters at the suitable places to measure the quantity of water used in various processes is also recommended.
- The University shall conduct the water audit annually. Water auditing is a systematic & scientific examination of water accounts of the University. It is a tool to overcome shortage, leakage and losses of water in the University.
- The used paper (if any) can be sent to an external unit for recycling. The recycled paper can be used in the University in the form of calendar, diaries, files/folders etc.



Registrar

K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report – K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED



Authorized Signatory

PHOTOGRAPHS

Waste Management



Rain Harvesting Pits



Plants in Campus




Workshop



STP




CNG Buses





Registrar

Environment Audit Report - K.R. Mangalam University
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED




Authorized Signatory

Solar Panel	Rain Water Harvesting
	



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana);

For SAMARTH MANAGEMENT
PRIVATE LIMITED
Authorized Signatory



ANNEXURES

Annexure 1: Environment clearance

296

UNIVERSITY

GOVERNMENT OF HARYANA
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.

No. SEIAA/HR/2011 134

Dated: 22.2.11

To


✓ M/S MANGALAM EDU GATE Pvt. Ltd.
843, Ward No. 6, Main Bazar Mehrauli,
New Delhi- 110 030

Subject: Environmental Clearance for Institutional College (Engineering Collage, Higher Education cum management Institute) in Revenue Estate of Village- Sohna, Gurgaon.

Dear Sir,

This has reference to your application no. Nil dated 02.11.2010 addressed to M.S. SEIAA Haryana received on 10.11.2010 and subsequent letters dated 31.12.2010 & 11.01.2011 seeking prior environmental clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form-1-A & Conceptual Plan and the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MOEF, GOI vide their Notification 21.4.2008, in its meeting held on 11.01.2011 awarded "Gold" grading to the project.

[2] It is, interalia, noted that the project involves the Institutional College (Engineering Collage, Higher Education cum management Institute) in Revenue Estate of Village- Sohna, Gurgaon, Haryana. The CLU permission has been granted by Town and Country Planning Department on 08.03.2010 for setting up of Engineering College and Education-cum-Management Institute. The total plot area of the proposed project is 98711.826 sqmt. The proposed built-up area will be 80678.75 sqmt. The proposed complex will have Academic block, Boys hostel,



Registrar

K.R. Mangalam University
Sohna Road, Gurugram, Haryana

Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED


Authorized Signatory

Girl hostel, Teachers residence, Staff residence, Swimming pool, Play ground etc. The Project Proponent has submitted application with the PCCF, Forest Department Haryana for diversion of forest land for access to Institutional College. During construction phase the water requirement of 35 KLD for 2 years will be sourced from the tube-well located on land of Mr. Yoginder, Kila no. 26 village- Kaliyaka, Tehsil – Nuh District- Mewat. (Haryana). During operation phase the fresh water requirement of 473 KLD will be met from the same tube-well located on land of Mr. Yoginder, Kila no. 26 village- Kaliyaka, Tehsil – Nuh District- Mewat, (Haryana). 567 KLD of waste water will be generated which will be treated in the STP of 680 KLD capacity by primary, secondary and tertiary treatment. The entire treated water will be recycled & reused leading to zero discharge. Total solid waste generation will be 1500 kg per day which will be disposed off as per Solid Waste Management & Handling Rules. The project proponent has proposed to use bio-degradable waste for composting within the project area. The power requirement is 4500 KW which will be supplied by DHBVN. The total parking spaces proposed are for 1037 ECS. Total cost of the project is Rs.150 crores.

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations have recommended the grant of environmental clearance for the project mentioned above subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority hereby accords necessary environmental clearance for the project under Category 8(a) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below.


Registrar

K.R. Mangalam University

Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED


Authorized Signatory

PART A-

SPECIFIC CONDITIONS:-


Construction Phase:-

- [i] A first aid room as proposed in the project report will be provided in both during construction and operation phase of the project.
- [ii] Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the laborers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.
- [iii] All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- [iv] Disposal of mock during construction phase should not create any adverse effect on the neighboring communities and be disposed of taking necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- [v] Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.
- [vi] The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- [vii] The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- [viii] Ambient noise levels should conform to the Educational Institutional standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air and noise level during construction phase, so as to conform to the stipulated Educational Institutional standards.



Registrar

Environment Audit Report on K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED


Authorized Signatory

- [ix] Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August 2003.
- [x] Ready mixed concrete must be used in building construction.
- [xi] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [xii] Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices as referred.
- [xiii] Permission from Competent Authority for supply of water shall be obtained prior to operation of the project.
- [xiv] Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- [xv] Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [xvi] The approval of the competent authority shall be obtained for structural safety of the building due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.
- [xvii] The project proponent will use water for construction phase through tankers from safe zone. However, prior permission from CGWA will be taken before using the bore well water for construction purposes.
- [xviii] The project proponent will construct 25 (Twenty five) no. of rain water harvesting pits for recharging the ground water within the project premises.
- [xix] The Project Proponent shall provide one under ground tank of 5 lac litre capacity for storage of rain water from roof and paved area and reuse the water after slow sand filtration for domestic purposes.
- [xx] The Project Proponent shall not use ground water either directly from the bore-well or through tankers during the construction as well as operation of the project except as directed by the Hon'ble High Court. However, if the



Registrar

K.R. Mangalam University

Environment Audit Report - K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT PRIVATE LIMITED



Authorized Signatory


- [ix] Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August 2003.
- [x] Ready mixed concrete must be used in building construction.
- [xi] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [xii] Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices as referred.
- [xiii] Permission from Competent Authority for supply of water shall be obtained prior to operation of the project.
- [xiv] Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- [xv] Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [xvi] The approval of the competent authority shall be obtained for structural safety of the building due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightning etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.
- [xvii] The project proponent will use water for construction phase through tankers from safe zone. However, prior permission from CGWA will be taken before using the bore well water for construction purposes.
- [xviii] The project proponent will construct 25 (Twenty five) no. of rain water harvesting pits for recharging the ground water within the project premises.
- [xix] The Project Proponent shall provide one under ground tank of 5 lac litre capacity for storage of rain water from roof and paved area and reuse the water after slow sand filtration for domestic purposes.
- [xx] The Project Proponent shall not use ground water either directly from the bore-well or through tankers during the construction as well as operation of the project except as directed by the Hon'ble High Court. However, if the


Registrar

K.R. Mangalam University

Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED


Authorized Signatory

Project Proponent makes other arrangements, the same shall be subject to the approval of the Deputy Commissioner Gurgaon.

- [xxi] The project Proponent shall submit the copy of approved layout plan / building plan in the office of SEIAA before the start of construction.


Operational Phase:

- [i] The STP shall be installed for the treatment of the sewage generated to the prescribed standards including odor and treated effluent will be recycled to achieve zero exit discharge. The STP should be installed at the remotest place in the project area.
- [ii] Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done ensuring that the re-circulated water should have BOD maximum upto 10 pm and the recycled water will be used for flushing, gardening and DG set cooling and running of fountain in the water body.
- [iii] For disinfections of the treated wastewater ultra violet radiation or ozonization should be used.
- [iv] The solid waste generated should be properly collected and segregated. Bio-degradable waste will be decomposed at site and dry/ inert solid waste should be disposed off to approved sites for land filling after recovering recyclable material.
- [v] Diesel power generating sets proposed as source of back up power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets should be in the basement as promised by the project proponent with appropriate stack height i.e. above the roof level as per the CPCB norms. The diesel used for DG sets should be of low sulphur contents (maximum 0.25%).
- [vi] Ambient Noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the Educational Institutional Complex.
- [vii] The project proponent should maintain at least 20% as green cover area for tree plantation especially all around the periphery of the project and on the


Registrar

Environment Audit Report, K.R. Mangalam University
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

For SAMARTH MANAGEMENT
PRIVATE LIMITED


Authorized Signatory

road sides preferably with local species so as to provide protection against particulates and noise. The open spaces inside the plot should be preferably landscaped and covered with vegetation/grass/ ornamental plants.

- [viii] Weep holes in the compound front walls shall be provided to ensure natural drainage of rain water in the catchments area during the monsoon period.
- [ix] Rain water harvesting for roof run-off and surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment through sedimentation tanks must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
- [x] The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- [xi] There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be utilized.
- [xii] A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the SEIAA, Haryana in three months time.
- [xiii] Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels must be adapted to the maximum extent possible for energy conservation.
- [xiv] The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be composted by vermi-composting at the site earmarked within the project area and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- [xv] The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.

Registrar

K.R. Mangalam University

Sohna Road, Gurugram, (Haryana)


Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED

Authorized Signatory

should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana.

- [viii] The investment made in the project, if any, based on environmental clearance so granted, in anticipation of the clearance from Forestry angle shall be entirely at the cost and risk of the Project Proponent and SEIAA, Haryana shall not be responsible in this regard in any manner.



Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.



Endst. No. SEIAA/HR/2011

Dated:.....

A copy of the above is forwarded to the following:

1. The Additional Director (IA Division), MOEF, GOI, CGO Complex, Lodhi Road, New Delhi.
2. The Regional office, Ministry of Environment & Forests, Govt. of India, Sector 31, Chandigarh.
3. The Chairman, Haryana State Pollution Control Board, Pk1.

Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.



Registrar

K.R. Mangalam University

Sohna Road, Gurugram, (Haryana)

Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED

Authorized Signatory

प्रेषक

उपायुक्त, गुडगांव।

सेवा में,

M/s Manglam Edu Gate,
843 Ward No. 6 Main Bazar,
Mehrauli New Delhi

क्रमांक 93 /एम.बी. दिनांक 04.07.13

विषय:-

Request for issuance of Report to this effect that applicants land is non forest land and not covered/fall under Aravali notification.

उपरोक्त विषय पर आपके प्रार्थना पत्र के सन्दर्भ में।

विषयोक्त मामले में इस कार्यालय द्वारा उक्त प्रार्थना पत्र पर तहसीलदार सोहना व जिला वन अधिकारी, गुडगांव के रिपोर्ट मांगी गई। जो निम्न प्रकार है:-


1. तहसीलदार, सोहना ने पटवारी हल्का रिपोर्ट अनुसार कीला नम्बरान 42//17-18-23-24-26,53//8-9-10-11-12-13-18/1-19/1-23,54//3-4-6-7/1-7/2-8-9/2-10/2-11-12-13-14/1-14/2-15-17-18-19-20,55//6/2-15-16,71//3/1 कुल रकबा 209 कनाल 6 मरला की बरखे इंतकाल न0 18873 से मंगलम एड्युगेर मालक है। रिकार्ड माल में अरावली नोटिफिकेशन से सम्बन्धित कोई इन्द्राज नहीं है व रिकार्ड माल में उपरोक्त खाना किस्म चाही है तथा रिकार्ड माल में उपरोक्त रकबा शामिल देह या अन्य किसी सरकारी संस्था का नहीं है।
2. Deputy Conservator of Forest, Gurgaon की रिपोर्ट अनुसार M/s Manglam Edu Gate 843 Ward No. 6 Main Bazar Mehrauli New Delhi vide letter no. Nill Dated 17-02-12 made a request in connection with land measuring 26.13 acres having Rect.No. 42//17, 18, 23, 24, 26 Killa No. 53//8, 9, 10, 11, 12, 13, 18/1, 18/2, 19/1, 23 Rect.No. 54//3, 4, 6, 7/1, 7/2, 8, 9/2, 10/2, 11, 12, 13, 14/1, 14/2, 15, 17 Killa No. 54//18, 19, 20 Rect.No. 55//6/2, 15, 16 Rect. No. 71//3/1 Land located at village Sohna District Gurgaon. Applicant made a proposal to use this land for **Engineering College & Higher Education Purpose**. In continuation of report submitted by RFO, Sohna vide letter no. 378-S dated 05-03-12 and approved from C.F. South Circle, Gurgaon vide letter No. 2773 dated 20-09-12, it is made clear that:
 - (A) As per record available above said land is not part of notified/closed area under IFA 1927/FCA/1980/specific section 4 & 5 of PLPA 1900/WLPA 1972/or any other forest land.
 - (B) It is clarified that by the Notification No. S.O.121/PA.2/1900/S.4/97 dated 28-11-1997, all revenue estate of Gurgaon District is notified u/s 4 of PLPA 1900 and s.o.

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

113/PA.2/1900/S.3/97 dated 17-11-1997 u/s 3 of PLPA. The area is however not recorded as forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisional Forest Officer, Gurgaon.

- (C) Although the user agency has applied case for diversion of Forest Conservation Act 1980 for access to M/s Manglam Edu Gate 843 Ward No. 6 Main Bazar Mehrauli New Delhi . land located at village Sohna Gurgaon is strictly prohibited unless approval from Ministry of Environment & Forest is obtained by user agency.
- (D) As per record with the Forest Department, Gurgaon, the area does not fall under Aravali Project Plantation done by the Forest Department.
- (E) All other statutory clearance mandated under the Environment Protection Act, 1986 or any other Act/order shall be obtained as applicable by the project proponents from the concerned authorities.
- (F) The project proponent shall ensure that Judicial orders/Pronouncements issued by the Hon'ble Supreme Court/High Courts.
- (G) It is clarified that the Hon'ble Supreme Court has issued various Judgment dated 06-05-02, 29-10-02, 16-12-02, 18-03-04 etc. Pertaining to Aravali region in Haryana, Should be followed.

अतः उक्त रिपोर्टों तहसीलदार, सोहना तथा उप-वन संरक्षक, गुडगांव अनुसार वर्णित खसरा व किला न0 अरावली क्षेत्र में नहीं आता है।


For Deputy Commissioner
कृते: उप-वन, गुडगांव।
4/7/13



Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Annexure 3: Air/Water Consent to Establish

 **HARYANA STATE POLLUTION CONTROL BOARD** 
HSPCB Gurgaon North Vikas Sadan, 1st Floor, Near DC Court,
Gurgaon Ph.0124-2332775 Email:-
hspcbrogrn@gmail.com
Website: www.hrcemms.nic.in E-Mail - hspcbho@gmail.com
Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 313116321GUNOCTE8451061

Dated:11/01/2021

To,

M/s : MANGALAM EDU GATE
GURUGRAM SOHNA ROAD, STATE HIGHWAY NO. 13, GURUGRAM
GURGAON
122103

Sub. : Grant of consent to Establish to M/s MANGALAM EDU GATE

Please refer to your application no. 8451061 received on dated 2020-12-15 in regional office Gurgaon North.

With reference to your above application for consent to establish, M/s MANGALAM EDU GATE is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	11/01/2021 - 10/01/2026
Industry Type	Building and construction projects having quantity of waste water generation 10 KLD to 100 KLD irrespective of their built-up area
Category	ORANGE
Investment(In Lakh)	12663.39
Total Land Area (Sq. meter)	98711.83
Total Builtup Area (Sq. meter)	48442.5
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	99.0 KL/Day
Number of outlets	0.0
Mode of discharge	
1. Domestic	Recycle/Reuse after treatment
2. Trade	-
Permissible Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O&G	10 mg/l
5. pH	5.5-9.0



Registrar

K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report – K.R. Mangalam University

For SAMARTH MANAGEMENT
PRIVATE LIMITED

Authorized Signatory



Permissible Trade Effluent Parameters	
1. NA	mg/l
Number of stacks	4
Height of stack	
1. Attached to Dg set above ground level (625 KVA)	24.5 meter
2. Attached to Dg set above ground level (625 KVA)	24.5 meter
3. Attached to Dg set above ground level (250KVA)	24.5 meter
4. Attached to Dg set above ground level (380KVA)	24.5 meter
Permissible Emission parameters	
1. NA	
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	2.4 KL/day

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*

Terms and conditions


1. The industry has declared that the quantity of effluent shall be 99 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 99 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production

Jmp

Registrar


K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report – K.R. Mangalam University



6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)



23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

1. CTE so granted is on the basis of detail submitted by the unit in online application, CTE granted is without prejudice to the action to be taken in respect of any violation made by unit in past & CTE will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 2. Unit will not change the quantity of domestic effluent /air emission without prior permission of the Board. 3. Unit will obtain prior CTO before starting operation of expanded part. 4. Unit will obtain all necessary clearance from all concerned departments. 5. The unit will install STP/ ACPM along with the main project. 6. The unit will install the project only on the land for which Town and Country Planning Department will accord CLU permission. 7. The unit will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under E.P Rules. 8. Unit will apply for CTO/ CTE Extension at least 90 days before expiry date of this CTE. 9. That in case any additional charges / fees / penalty etc. are found payable towards this authorization / CTO/ CTE as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office. 10. If at any stage found that unit was involved in any past violation regarding Environment Laws / Rules / Acts then CTE so granted shall be revoked automatically & legal action will be initiate against the project proponent. 11. Unit will use only treated effluent supplied from Sewage treatment plant during construction phase of the project and for sprinkling as far as possible. 12. That this CTE expansion will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question. 13. Unit will not discharge any type Treated or untreated effluent outside the premises of the project. 14. Unit will not use in their DG set as a fuel i.e. pet coke, furnace oil and LSHS etc. 15. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants. 16. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible. 17. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc. 18. Unit will not discharge any type of effluent outside of the premises of the project and reuse/recycle of treated waste water. 19. A detailed waste harvesting plan may be submitted by the project proponent. 20. Unit will dispose off their waste/spent oil of DG sets only to authorized recyclers by the HSPCB. 21. Unit will submit the compliance of CTE/CTO conditions within 90 days.

Digital signed by KULDEEP SINGH
Date: 2023.01.11 12:42:05
4073E

KULDEEP SINGH
Regional Officer, Gurgaon North
Haryana State Pollution Control Board.

Registrar

K.R. Manglam University
Sohna Road, Gurgaon, (Haryana)

Annexure 4: Fire NOC

From Fire Station Officer
MC Gurgaon

To M/s Manglam Edu Gate formally known as Ms Shankuntla Reality Pvt Ltd
Village Sohna, Gurugram
Memo No. FS/2021/27 dated : 08/07/2021

Subject : No objection Certificate 15 mtrs. and Above from the fire safety point of view for Group B- Educational Building at meas. 98711.82 Sq. Mtrs. in Village Sohna, Gurugram of M/s Manglam Edu Gate (formally known as M/s Shankuntla Reality Pvt. Ltd.) :

Reference your letter no. 050282123000047 dated 28/05/2021 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
Block- C ✓	G to 04	19.53 Mt.	1898.38 Sq. Mt.
Hostel Block (Part)	G to 02	10.20 Mt.	1574.29 Sq. Mt.
Tower Name	Basement Level	Basement Area	Basement Remarks
Block- C ✓	Basement- 01	1898.38 Sq. Mt.	Block- C
Hostel Block	Basement- 02	1574.29 Sq. Mt.	Hostel Block

- 1) The owner/occupier shall give a self declaration certificate annually regarding fire safety system installed in his building/premises is working in good condition and there is no addition/alteration in the building.
 - 2) In case there is any addition/alteration in the building, the fire NOC shall cease to exist and the owner shall apply for approval of revised Fire Fighting Scheme
 - 3) As per sub-section (1) and the competent authority may randomly check such building/premises.
 - 4) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
 - 5) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
 - 6) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
 - 7) You are directed to apply for NOC in future before 2 months of expiry of your NOC.
 - 8) The open set back area is not checked at our end as it shall be checked by concerned building authority/departement.
 - 9) The owner/occupier shall strictly follow the other applicable rules/ regulations/ byelaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Fire Act 2009 specially chapter- III Section 31 Sub-Section 1 & 2 of Fire Act 2009.
 - 10) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Official/Staff should be participated in the drill.
 - 11) If the Infringements of Byelaws remains un-noticed the Authority reserves the right to amend the NOC as and when any such Infringements comes to notice after giving an opportunity of being heard and the Authority shall stand Indemnified against any claim on this account.
 - 12) NOC granted subject to condition that there is no violation in sanctioned building plan by virtue of which fire fighting scheme was approved
- The above NOC is valid for only **Five** year from the date of issue of this letter Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- HR 840 A



Fire Station Officer,
MC Gurgaon
Exercising the power of Director, Fire Services, Haryana


Digitally signed by GULSHAN
KALRA
Date: 2021.07.08 10:57:53 +05:30
Reason: Digital Verification

[Signature]

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report - K.R. Mangalam University

For SAMARTH MANAGEMENT PRIVATE LIMITED
[Signature]
Authorized Signatory



K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Environment Audit Report – K.R. Mangalam University

For SAMARTH MANGALAM
PRIVATE LIMITED

Authorized Signatory

Date: 12/12/17

From: Assistant Registrar
Cooperative Societies NUH

To: The president
THE Rajmurti Cooperative Labour and Construction Society Ltd Gogjaka.

Sub: Registration of the Rajmurti Cooperative Labour and Construction Society Ltd Gogjaka Tehsil Tauru.

Memo No

It is inform you that the Rajmurti Cooperative Labour and Construction Society Ltd Gogjaka Tehsil Tauru Dist, NUH has been registered by this office under registration No 411 date 4/12/17. The society is affiliated with you C.B Branch.

One copy of the registration certificate and bye-laws is sent here with for record.

The Rajmurti Co-operative Labour & Construction Society Ltd, Gogjaka

Assistant Registrar
Coop. Societies, NUH
Exercising the power of Registrar Coop. Societies Haryana Panchkula

Endest NO..... Date.....

A copy of above is forwarded to:

1. Inspector Coop. Societies Tauru for information
2. Inspector(Audit) Coop. Societies Tauru for information
3. Branch manager The Gurugram Central Coop. Bank Ltd Branch Tauru information.
4. Manager Distt. Mewat Co-op. Labour & Construction Federation Ltd NUH.

Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

Assistant Registrar
Cooperative Societies NUH

Authorized Signature

1900

1900


2. यह कि उपरोक्त काम को मैं संकेतित समय पर करने का वाबन्द रहूंगा ।
3. यह कि अगर 11 महीने पूरा हो जाता है तो हम दोनों की सहज्जी से नया इकरारनामा बनाकर या 10 प्रतिशत सेट बकाकर दुबारा से कार्य करने का ठेका दिया जा सकता है, जो इसी तरह करने का वाबन्द रहूंगा ।
4. यह कि उपरोक्त सहज्जी के हम दोनों कहीकम वाबन्द रहेंगे ।



अतः यह इकरारनामा लिख दिया गया है कि समय रहे और समय वकत पर काम आवे । ए-20
03.2020

हो इकरारनामा


इकरारनामा



गवाह-

गवाह-


Registrar
K.R. Mangalam University
Sohna Road, Gurugram, (Haryana)

ATTESTED AS IDENTIFIED

20/07/2020
Advocate & Notary
GURUGRAM